



MAW GmbH • Max-Eyth-Strasse 5 • D-74532 Ilshofen-Eckartshausen

Bestelldaten/ Ordering: Eingangs- Durchgangstür 1530 / Entrance- passage door 1530 Best.-Nr./Order-no.: AS0000124

Eingangs- Durchgangstür / Entrance- passage door


Typ / Model: Eingangs- Durchgangstür 1530 / MAW

Anwendungsbereich und Funktionsbeschreibung

Hinderniselement, Eingangs- Durchgangstür für die Laufebene der Orientierungsstrecke Problemloser Einbau in die Orientierungsstrecke

Bestehend aus:

- Stahlrahmen 30x30-2 mm mit eingeschweißtem Gitter 5 mm
- Variabler Anschlag, rechts / links
- Schwarz kunststoffbeschichtet
- Etagenhöhe 1530 mm



Obstacle mashpanel, Entrance- passage door for walking course build up in orientation course Without difficulties installation in the orientation course.

Consisting of:

- Steel frame 30x30-2 mm with welded grid 5 mm
- Variable door hinge, right / left
- Black plastic coated
- Level height 1530 mm



Technische Daten:

Höhe: 1530 mm Breite 968 mm Tiefe: 55 mm Gewicht: ca. 15 kg

Farbe: Schwarz kunststoffbeschichtet

Technical data:

Height: 1530 mm Width: 968 mm Depth: 55 mm Weight: Approx. 15 kg Color: Black plastic coated

Besonderheiten:

- sehr robuste und langlebige Ausführung
- variabler Einsatz in der Orientierungsstrecke
- einfache Montage
- geringer Wartungsaufwand

Extras:

- very robust and long life design
- variable use in the orientation course
- easy assembly
- low maintenance

Für mehr Informationen, fordern Sie bitte den Ausschreibungstext und / oder den Montageplan an.

For more information, please request the specification text and / or the assembly plan.

- Wir behalten uns vor jederzeit technische Änderungen an der Anlage vorzunehmen, um Sicherheit, Zuverlässigkeit, Funktion und Design zu verbessern. Alle Informationen in diesem Datenblatt wurden sorgfältig geprüft. Dennoch können wir keine Haftung für Fehler übernehmen. Die Bilder können vom Original abweichen.
- We reserve the rights for any time to make technical changes to the system for security, improve reliability, function and design. All information in this data sheet has been carefully checked. However, we can accept no liability for errors take over. The images can be differing from the original.

Tel: +49 (0)7904-94377-0 Fax: +49 (0)7904-94377-77 MAW GmbH • Max-Eyth-Strasse 5 • D-74532 Ilshofen-Eckartshausen Email: info@mawonline.de Internet: www.mawonline.de